



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

ADDITIONS TO THE MUSEUM.

1888.

ARCHÆOLOGY, ETHNOLOGY, ETC.

Stewart Culin. Chinese medicines.

G. Y. & W. H. McCracken. A collection of Peruvian mummies, crania, pottery, etc.

M. Sommerville. Celt, from Schleswig-Holstein.

D. G. Brinton. Human foot-print, Nicaragua.

J. Willcox. Shell remains from mound, Florida.

MAMMALIA.

E. A. Kelley. *Spermophilus grammurus*, California; *Thomomys talpoides*, California.

H. C. Chapman. Cetacean and manatee remains from South Carolina.

J. E. Ives. *Vesperugo serotinus*, Philadelphia; disarticulated skeleton of cat.Zoological Society of Philadelphia. Marmosette (*Hapale adipus*); *Hapale Geofroyi*; aoudad; jaguar; elk; puma.

BIRDS, ETC.

F. Beamer. Malformed egg of fowl.

Zoological Society of Philadelphia. *Psittacula*; *Conurus Petyi*; *Penelope cristata*; *Conurus cactorum*; *Eos reticulata*; *Corvus monedula*.

REPTILES AND AMPHIBIANS.

E. A. Kelley. *Pityophis Sayi*, *Bascanion constrictor*, *Eumeces Skiltonianus*, *Gerrhonotus caruleus*, *Bufo halophilus*, from California.J. E. Ives. *Tropidonotus leberis*, Philadelphia.F. Reynolds. *Crotalus adamanteus* (skin), Mexico.

C. W. Hoffmann. Skin of ophidian, Hammonton, N. J.

Zoological Society of Philadelphia. *Varanus Bengalensis*.

FISHES (Recent and Fossil).

C. S. Bement. Fossil fish, from Green River, Wyoming.

E. A. Kelley. *Sebastodes chlorostictus*, San Francisco.

RECENT INVERTEBRATA (excluding Mollusca).

E. A. Kelley. *Crangon Franciscorum*, California.C. P. Perot. Sponge (2 species), *Rhipidogorgia flabellum*, *Oreaster reticularis*, from New Providence.J. Leidy. *Cirolana concharum*, *Palæmon palæmoneticola*, *Lepas fascicularis*, Beach Haven, N. J.; *Cirolana concharum*, Atlantic City, N. J. Scorpion, Bridger Station, Wyoming.M. Sharp. *Mygale Hentzi*.

A. M. Fielde. Annelid, Swatow, China.

J. Ford. *Arbacia punctulata*, Atlantic City, N. J.L. Woolman. *Pleurobrachia*, Atlantic City, N. J.J. Willcox. *Flustra foliacea*, *Pterogorgia*, from Florida.B. Sharp. *Balanus concavus*, Chesapeake Bay.

MOLLUSCA (recent).

- W. D. Hartman. Three new species of *Partula*. Thirty-six photographs of new species of *Partula* and *Achatinella*.
 W. B. Marshall. *Bythinia tentaculata*, from Albany, N. Y.
 John Ford. Types of *Natica Fordiana* Simpson, and *Oliva inflata* var. *ovum-ralli* Ford. Two species of *Helix*, *Natica heros*, *Pyramidella*, etc.
 B. P. Ruggles. Six species of *Sphæriidæ* from Vermont.
 H. A. Pilsbry. Ten species of American *Rissoïdæ*. Types of six new species.
 Dr. W. H. Rush. Ten species of marine shells, dredged off Florida.
 Bryant Walker. Fifty-four species of U. S. Limniades. Twenty-seven jars and vials of alcoholic *Limnæidæ*.
 E. W. Roper. Three species of *Sphæriidæ*.
 Miss A. M. Fielde. *Limnæa* from Swatow, China.
 W. L. Mactier. Thirty one species of marine shells.
 Wm. A. Marsh. Two species of fresh-water shells.
 Wm. D. Averell. Three species of *Helix*.
 T. D. A. Cockerell. Fifty-two species of Colorado mollusks.
 Frederick Stearns. Fourteen species of Bahaman shells.
 B. H. Wright. Twenty-three Florida Uniones, including types of his new species.
 Jos. Willcox. Fifty trays of Florida shells.
 S. Raymond Roberts. *Acmea vulgata* from Ireland.
 F. A. Simpson. Twenty-eight species of Missouri shells.
 Chas. T. Simpson. Six species of Indian Territory shells.
 Henry Hemphill. Ten species of fresh-water univalves.
 Hon. F. E. Spinner. One species of Florida mollusk.
 Prof. Angelo Heilprin. Four species of *Cypræa*.
 B. Tomlin. Thirty seven species of European marine shells.
 H. E. Dore. Three species of Oregon shells.
 John Campbell. *Cypræa*.
 Alfred Carnana. Forty-five species shells from Malta (in exchange).
 C. W. Johnson. Twenty-one species Florida shells.
 J. A. Singley. Fifty-nine trays of Texas shells.
 Wm. Baldwin. Seventy-eight trays of Sandwich Is. land shells.
 C. E. Boddome. Four species of Tasmanian shells.

INVERTEBRATA (Fossil).

- T. H. Aldrich. Twenty-two species from the Eocene of Wood's Bluff, Ala.
 J. Singley. Six species from the Eocene of Texas.
 L. Woolman. Sixty-four trays of Miocene fossils from well-boring in Atlantic City, N. J., *Melanopsis Marylandica* from Cape May.
 J. Willcox. Forty-eight trays of Tertiary fossils, from Florida; seventy-five trays of Paleozoic fossils from New York State; *Vasum horridum*, Florida.
 J. S. Salter. *Nautilus*, *Veniella Conradi*. Cretaceous of N. J.
 Chas. Wachsmuth and Frank Springer. Twenty one trays of Carboniferous crinoids, from Kentucky, Alabama and Tennessee.

PLANTS (Recent).

- Mrs. Virginia L. Rowland. Fine specimen (in spirits) of *Cheirostemon platensis*, (Mexican Hand Plant) with oil painting of flowers and foliage of the same.
 Dr. J. Bernard Brinton. *Carex Grayi*, Brown's Mills, N. J., *Arenaria serpyllifolia*, Millington, Md.; *Dianthus prolifer*, Maryland and *Briza minor*, Oregon.
 Thomas Meehan. 186 species of plants, mostly exotic species in cultivation and mostly new to the collection.
 Isaac Burk. 84 species of plants collected by him in Florida and New Jersey.

- Prof. Edward L. Greene, University of California. 36 species of new or choice California plants.
- Prof. Thos. C. Porter of Lafayette College, Easton, Pa. 15 species of plants from Pennsylvania and New Jersey.
- Frank Tweedy, of U. S. Geological Survey. *Erigeron Tweedyi* Canby, a new species from Montana.
- Wm. M. Canby. 18 species of European plants, and 10 species from the mountains of North Carolina and Tennessee, including the rare species *Senecio Rugelii* Gr. and *Buckleya distichophylla* Torr.
- Miss Adele Fielde, of Swatow, S. China. *Boehmeria nivea* (L.) Hk. and Arn. with specimens of its fibre and of fabrics woven therefrom; acorns of *Quercus fissa* Camp.
- C. McIntyre. Nut of *Phytelephas macrocarpa*, (Vegetable Ivory).
- Isaac C. Martindale. 32 species of North American and Ballast plants.
- Thomas Meehan and John H. Redfield, supplemented by proceeds of Academy Duplicates:—983 species of plants collected by Dr. H. H. Rusby mostly in Bolivia in 1885 and 1886, a large majority of them being new to the collection.
- J. M. Price through Wm. Hunt. 2 species of Australian *Eucalypti*, and 2 species of Australian *Acacia*, cultivated in California.
- Herbert Aldrich, Springfield, Mass., through Thos. Meehan. 5 species of Arctic Plants, from north-western coast of Arctic America.
- Dr. Geo. A. Rex and Dr. H. Wingate. 20th and 21st Centuries of Ellis and Everhart's North American Fungi.
- Roberts LeBoutillier. *Streptosolen Jamesonii*, Miers, (cult.) a native of New Granada; *Staphylea Colchica* Stev. (cult.) and *Symphytum asperrimum* Sims, (Cult.) natives of Caucasus.
- Miss Frances Whitney. Fasciate form of *Ranunculus bulbosus* L. from Bryn Mawr, Pa.
- Aubrey H. Smith. 25 species of plants from mountains of western North Carolina and New Hampshire, and *Carex miliaris* Mx. from Maine.
- Prof. N. L. Britton, Columbia College, N. Y. *Aesculus arguta* Buckley, Kansas, *Corema alba* L. Portugal; *Hicoria alba* (L.), *Hicoria microcarpa* (Nutt.) and *Hicoria minima* Marsh. from Staten Island, N. Y.
- Wm. H. Dougherty. *Clianthus Dampieri* A. Cunn, native of Australia and *Leonotis Leonurus* L. native of South Africa, both cultivated at Mt. Pleasant, New Jersey.
- John Donnell Smith. Specimens of *Darbya umbellulata* Gr. both pistillate and staminate plants.
- Prof. John H. Barbour, Trinity College, Hartford, Conn. *Mimulus luteus* L., native of California, established in fields, Norfolk, Ct.
- Wittmer Stone. *Oxybaphus nycitigineus* Sweet and *Bromus sterilis* L., introduced at Wayne Junction near Philadelphia; 41 species of vascular plants, 3 of Lichens and 23 of Algae collected by him in Bermuda.
- Miss Van Wyck. Leaf of *Aponogeton fenestralis* Hk, native of Madagascar, from Botanic Garden of Mauritius.
- Mrs. Lewars. *Sarcodes sanguinea* Torr. (Snow-plant) from California.
- Prof. Joseph T. Rothrock. 60 species of plants collected by himself in Manatee Co., Florida, in spring of 1887.
- José N. Rovirosa. 100 species of plants from vicinity of San Juan Bautista, province of Tabasco, Mexico, of which 52 are new to the collection.
- John H. Redfield. 266 species of plants collected by C. G. Pringle in province of Coahuila, Mexico in 1887, of which 123 are new to the collection; 191 species collected by himself in New England and 220 species mostly from western states to supply desiderata in the Herbarium.

PLANTS (Fossil).

- L. Woolman. *Sigillaria*, Elkland, Pa.
- H. W. DuBois. Plant remains from the Trias of New Jersey; *Sagenopteris*, Newark, N. J.

MINERALS, ROCKS, ETC.

- W. W. Jefferis. Quartz in Mica; Epidote, Pa.; Garnets, New York City; Phlogopite, Ontario; Moon-stone, Amelia C. H., Va., Haydenite, Beaumontite, Stilbite, Chabazite, Siderite, from Baltimore; Bucholzite, Philadelphia; Bowenite, R. I.; Phlogopite, Ontario and New York; Rose Tourmaline, Chesterfield, Mass.; Muscovite, Del.; Menaccanite, Parkerville, Pa.; Feldspar, Italy; Roxbury Conglomerate; Granite, Virginia City; Garnets, New York City.
- J. M. Buck. Concretion formed on bolt, Pt. Pleasant, N. J.
- Mineralogical Section A. N. S. Azurite and Malachite from Arizona; Bementite, Green Tourmaline, from Franklin, N. J.; Ripidolite, Brewster, N. Y.; Sepiolite, Ontario; Microlite, Amelia Co., Va.
- C. E. Ronaldson. Syenite with nodules, Smedley, Pa.
- S. Tyson. Tysonite, Colorado Springs, Col.
- E. A. Kelley. Trap rocks, Cal.; Argentite, Montana.
- M. Somerville. Aragonite, Hyacinth, Epidote, Grossularite, Idocrase, and Iceland Spar, from France.
- H. W. DuBois. Artificial pumice; Stylolite, Delaware Water Gap.
- J. E. Ives. Steatite with Dolomite, Lafayette, Pa. Selenite, Siliceous Concretion, from Goat Island, N. Y.
- J. M. Hartman. Hematite, Orinoco River.
- W. H. Gifford. Worn rock, resembling implement.
- J. E. Roberts. Umber, Lancaster Co., Pa.